

# Table 1.3: Overall risks of second primary cancers within 23 years by type of first and subsequent cancer - males

		Site of first primary cancer																					
		All Cancer	Pharynx	Stomach	Colon	Rectum	Colorectum	Larynx	Lung	Melanoma	Prostate	All Cancer	Pharynx	Stomach	Colon	Rectum	Colorectum	Larynx	Lung	Melanoma	Prostate		
		SIR	SIR	SIR	SIR	SIR	SIR	SIR	SIR	SIR	SIR	SIR	SIR	SIR	SIR	SIR	SIR	SIR	SIR	SIR	SIR	SIR	
		95%CI	95%CI	95%CI	95%CI	95%CI	95%CI	95%CI	95%CI	95%CI	95%CI	95%CI	95%CI	95%CI	95%CI	95%CI	95%CI	95%CI	95%CI	95%CI	95%CI	95%CI	
	All cancers	<b>1.03</b>	<b>(1.02-1.05)</b>	<b>0.87</b>	<b>(0.77-0.98)</b>	<b>1.07</b>	<b>(1.03-1.12)</b>	0.96	(0.90-1.02)	1.03	(0.99-1.07)	<b>1.57</b>	<b>(1.44-1.71)</b>	0.98	(0.91-1.06)	<b>1.55</b>	<b>(1.48-1.61)</b>	0.69	(0.66-0.71)				
	Oral Cavity	<b>1.71</b>	<b>(1.49-1.94)</b>	0.69	(0.08-2.49)	1.28	(0.77-2.00)	0.58	(0.21-1.26)	0.95	(0.61-1.42)	<b>5.28</b>	<b>(3.08-8.45)</b>	<b>2.50</b>	<b>(1.46-4.01)</b>	0.56	(0.24-1.11)	0.73	(0.49-1.04)				
	Salivary gland	1.10	(0.77-1.51)	0.00	(0.00-5.11)	1.03	(0.28-2.65)	0.83	(0.10-2.99)	0.96	(0.35-2.08)	0.00	(0.00-5.36)	1.27	(0.15-4.60)	0.69	(0.08-2.49)	0.95	(0.47-1.70)				
	Pharynx	<b>1.40</b>	<b>(1.18-1.65)</b>	<b>6.24</b>	<b>(2.51-12.86)</b>	1.26	(0.69-2.11)	0.88	(0.36-1.82)	1.06	(0.64-1.63)	<b>3.52</b>	<b>(1.61-6.68)</b>	<b>2.81</b>	<b>(1.57-4.63)</b>	<b>0.36</b>	<b>(0.10-0.92)</b>	0.75	(0.47-1.14)				
	Oesophagus	<b>1.22</b>	<b>(1.09-1.36)</b>	<b>9.41</b>	<b>(5.58-14.87)</b>	1.17	(0.81-1.63)	1.23	(0.78-1.85)	1.13	(0.85-1.48)	<b>2.63</b>	<b>(1.44-4.41)</b>	<b>2.54</b>	<b>(1.71-3.62)</b>	0.88	(0.54-1.36)	0.99	(0.79-1.22)				
	Stomach	<b>0.89</b>	<b>(0.81-0.97)</b>	<b>0.78</b>	<b>(0.16-2.27)</b>	<b>0.18</b>	<b>(0.02-0.64)</b>	1.11	(0.80-1.49)	0.95	(0.77-1.17)	0.81	(0.37-1.54)	1.11	(0.74-1.61)	0.85	(0.61-1.17)	<b>0.82</b>	<b>(0.70-0.96)</b>				
	Colon	<b>1.14</b>	<b>(1.08-1.19)</b>	1.57	(0.93-2.49)	1.16	(0.82-1.60)	<b>1.60</b>	<b>(1.42-1.79)</b>	<b>1.53</b>	<b>(1.40-1.68)</b>	1.23	(0.88-1.67)	0.86	(0.66-1.10)	0.97	(0.81-1.15)	1.03	(0.95-1.12)				
	Rectum	1.04	(0.97-1.10)	1.50	(0.75-2.68)	1.16	(0.73-1.76)	<b>1.44</b>	<b>(1.23-1.68)</b>	1.00	(0.86-1.17)	<b>1.97</b>	<b>(1.40-2.70)</b>	0.70	(0.47-1.00)	1.02	(0.82-1.26)	1.09	(0.97-1.21)				
	Colorectal	<b>1.09</b>	<b>(1.05-1.13)</b>	<b>1.54</b>	<b>(1.03-2.22)</b>	1.16	(0.89-1.49)	1.02	(0.88-1.18)	<b>1.34</b>	<b>(1.24-1.45)</b>	<b>1.51</b>	<b>(1.19-1.88)</b>	<b>0.78</b>	<b>(0.63-0.96)</b>	0.97	(0.85-1.11)	1.04	(0.98-1.11)				
	Liver	<b>0.81</b>	<b>(0.69-0.95)</b>	<b>3.42</b>	<b>(1.11-7.99)</b>	0.54	(0.07-1.96)	0.68	(0.37-1.14)	<b>0.56</b>	<b>(0.33-0.87)</b>	1.02	(0.28-2.82)	0.84	(0.34-1.74)	0.57	(0.27-1.04)	0.76	(0.56-1.00)				
	Gallbladder	1.01	(0.83-1.22)	1.38	(0.03-7.67)	2.29	(0.74-5.34)	0.93	(0.37-1.92)	1.29	(0.83-1.90)	1.43	(0.29-4.17)	1.27	(0.47-2.76)	0.68	(0.25-1.47)	0.76	(0.51-1.11)				
	Pancreas	1.07	(0.97-1.18)	<b>2.12</b>	<b>(0.85-5.04)</b>	2.32	(0.85-5.04)	1.18	(0.80-1.67)	0.93	(0.72-1.19)	<b>2.71</b>	<b>(1.65-4.18)</b>	1.14	(0.69-1.79)	0.89	(0.59-1.28)	0.90	(0.74-1.08)				
	Larynx	1.10	(0.95-1.27)	1.31	(0.16-4.72)	0.85	(0.17-2.47)	0.65	(0.33-1.13)	0.65	(0.39-1.00)	1.53	(0.56-3.34)	1.67	(0.91-2.80)	0.63	(0.30-1.16)	0.93	(0.69-1.23)				
	Lung	<b>1.12</b>	<b>(1.08-1.17)</b>	<b>5.21</b>	<b>(4.17-6.43)</b>	<b>0.69</b>	<b>(0.47-0.98)</b>	0.94	(0.79-1.10)	<b>0.83</b>	<b>(0.75-0.93)</b>	<b>3.21</b>	<b>(2.72-3.76)</b>	0.93	(0.75-1.13)	0.75	(0.64-0.89)	<b>0.86</b>	<b>(0.79-0.93)</b>				
	Melanoma	<b>1.82</b>	<b>(1.74-1.91)</b>	0.79	(0.29-1.71)	<b>1.24</b>	<b>(1.03-1.47)</b>	1.13	(0.89-1.42)	<b>1.18</b>	<b>(1.02-1.36)</b>	1.06	(0.65-1.64)	0.96	(0.68-1.31)	<b>7.28</b>	<b>(6.74-7.84)</b>	<b>1.19</b>	<b>(1.07-1.32)</b>				
	Mesothelioma	0.90	(0.74-1.08)	0.91	(0.49-1.56)	0.97	(0.44-1.85)	0.94	(0.59-1.42)	0.94	(0.59-1.42)	0.77	(0.09-2.77)	<b>0.18</b>	<b>(0.00-0.99)</b>	1.11	(0.59-1.90)	0.93	(0.67-1.26)				
	Soft tissue	<b>1.36</b>	<b>(1.12-1.64)</b>	<b>6.57</b>	<b>(1.79-16.82)</b>	0.64	(0.23-1.39)	0.85	(0.28-1.98)	0.72	(0.36-1.29)	1.24	(0.15-4.46)	0.83	(0.17-2.43)	<b>3.07</b>	<b>(1.97-4.57)</b>	1.09	(0.74-1.54)				
	Prostate	<b>0.68</b>	<b>(0.66-0.71)</b>	1.16	(0.81-1.62)	1.08	(0.99-1.17)	0.96	(0.85-1.07)	1.01	(0.94-1.08)	0.86	(0.68-1.08)	0.86	(0.73-1.00)	<b>1.42</b>	<b>(1.30-1.55)</b>	<b>0.01</b>	<b>(0.00-0.01)</b>				
	Testis	<b>2.49</b>	<b>(1.89-3.21)</b>	0.42	(0.09-1.24)	0.62	(0.02-3.43)	0.88	(0.02-4.89)	0.73	(0.09-2.62)	1.45	(0.04-8.07)	1.45	(0.04-8.07)	0.67	(0.14-1.96)	1.44	(0.47-3.36)				
	Kidney	<b>1.18</b>	<b>(1.07-1.30)</b>	1.40	(0.38-3.59)	<b>1.58</b>	<b>(1.21-2.03)</b>	0.98	(0.63-1.45)	<b>1.27</b>	<b>(1.01-1.58)</b>	0.68	(0.22-1.58)	1.33	(0.82-2.03)	1.30	(0.95-1.75)	1.09	(0.91-1.30)				
	Renal pelvis	<b>1.61</b>	<b>(1.32-1.94)</b>	1.40	(0.38-3.59)	1.40	(0.70-2.50)	1.79	(0.82-3.40)	1.56	(0.95-2.41)	0.70	(0.02-3.88)	2.18	(0.88-4.50)	1.65	(0.79-3.04)	1.37	(0.95-1.93)				
	Bladder	1.04	(0.96-1.13)	0.77	(0.16-2.26)	0.92	(0.71-1.18)	<b>1.32</b>	<b>(1.00-1.72)</b>	1.06	(0.88-1.28)	<b>1.77</b>	<b>(1.10-2.71)</b>	1.24	(0.86-1.72)	0.90	(0.65-1.23)	<b>1.25</b>	<b>(1.10-1.41)</b>				
	CNS	1.07	(0.92-1.23)	0.63	(0.02-3.51)	0.86	(0.50-1.38)	0.53	(0.21-1.09)	0.73	(0.47-1.09)	1.27	(0.41-2.97)	0.47	(0.13-1.21)	<b>1.75</b>	<b>(1.20-2.47)</b>	0.94	(0.70-1.22)				
	Thyroid	<b>1.75</b>	<b>(1.34-2.25)</b>	0.00	(0.00-11.00)	0.82	(0.17-2.41)	1.99	(0.65-4.64)	1.14	(0.46-2.35)	1.35	(0.03-7.53)	1.91	(0.39-5.59)	1.49	(0.55-3.25)	1.55	(0.89-2.52)				
	Ill defined	<b>0.75</b>	<b>(0.68-0.82)</b>	2.06	(0.89-4.06)	0.65	(0.28-1.29)	<b>0.24</b>	<b>(0.12-0.44)</b>	<b>0.18</b>	<b>(0.11-0.28)</b>	1.47	(0.86-2.35)	<b>0.38</b>	<b>(0.18-0.69)</b>	1.03	(0.77-1.36)	<b>0.63</b>	<b>(0.52-0.74)</b>				
	Hodgkin	<b>1.41</b>	<b>(1.00-1.92)</b>	0.00	(0.00-6.70)	0.71	(0.09-2.57)	0.00	(0.00-1.92)	0.42	(0.05-1.53)	3.51	(0.43-12.68)	0.82	(0.02-4.57)	0.93	(0.19-2.73)	1.02	(0.44-2.01)				
	NHL	<b>1.20</b>	<b>(1.11-1.30)</b>	0.95	(0.26-2.44)	0.64	(0.26-1.33)	0.72	(0.48-1.04)	0.80	(0.64-1.00)	1.00	(0.50-1.79)	0.97	(0.61-1.45)	<b>1.66</b>	<b>(1.33-2.05)</b>	0.85	(0.72-1.00)				
	Myeloma	1.04	(0.91-1.19)	0.68	(0.02-3.78)	0.82	(0.50-1.27)	1.17	(0.70-1.85)	0.83	(0.57-1.17)	1.19	(0.39-2.78)	0.76	(0.30-1.56)	1.15	(0.72-1.74)	1.08	(0.86-1.34)				
	ALL	<b>2.15</b>	<b>(1.41-3.12)</b>	3.97	(0.10-22.10)	0.76	(0.02-4.24)	<b>4.66</b>	<b>(1.27-11.93)</b>	1.85	(0.50-4.73)	8.11	(0.98-29.29)	1.83	(0.05-10.19)	1.60	(0.19-5.76)	0.52	(0.06-1.86)				
	CLL	1.15	(0.98-1.33)	0.00	(0.00-3.60)	0.65	(0.32-1.16)	0.66	(0.26-1.35)	<b>0.44</b>	<b>(0.23-0.76)</b>	0.34	(0.01-1.87)	<b>1.95</b>	<b>(1.04-3.33)</b>	<b>2.22</b>	<b>(1.47-3.21)</b>	<b>1.29</b>	<b>(1.00-1.63)</b>				
	AML	<b>1.62</b>	<b>(1.40-1.87)</b>	2.42	(0.29-8.73)	1.03	(0.56-1.72)	1.05	(0.48-1.99)	0.81	(0.48-1.29)	1.70	(0.46-4.35)	1.15	(0.42-2.50)	0.83	(0.38-1.58)	0.96	(0.69-1.31)				
	CML	1.18	(0.87-1.56)	3.50	(0.09-19.52)	2.12	(1.02-3.90)	0.34	(0.01-1.91)	1.18	(0.54-2.25)	2.52	(0.30-9.09)	1.62	(0.34-4.75)	0.27	(0.01-1.52)	0.98	(0.53-1.64)				
	Others	<b>1.39</b>	<b>(1.30-1.49)</b>	<b>2.79</b>	<b>(1.44-4.87)</b>	1.25	(0.70-2.07)	1.09	(0.79-1.46)	<b>1.21</b>	<b>(1.01-1.44)</b>	1.54	(0.91-2.43)	1.19	(0.81-1.69)	1.27	(0.99-1.62)	1.00	(0.87-1.15)				

**Table 1.3: Overall risks of second primary cancers within 23 years by type of first and subsequent cancer - males (continued)**

	Site of first primary cancer																			
	Testis		Kidney		Renal pelvis		Bladder		Thyroid		Hodgkin		NHL		Myeloma		CLL		CML	
	SIR	95%CI	SIR	95%CI	SIR	95%CI	SIR	95%CI	SIR	95%CI	SIR	95%CI	SIR	95%CI	SIR	95%CI	SIR	95%CI	SIR	95%CI
All cancers	<b>1.59</b>	<b>(1.32-1.90)</b>	1.10	(0.99-1.21)	<b>1.62</b>	<b>(1.36-1.91)</b>	<b>1.12</b>	<b>(1.06-1.18)</b>	1.23	(0.96-1.55)	<b>1.86</b>	<b>(1.50-2.30)</b>	<b>1.22</b>	<b>(1.13-1.32)</b>	0.93	(0.77-1.12)	<b>1.67</b>	<b>(1.48-1.87)</b>	<b>2.35</b>	<b>(1.83-2.98)</b>
Oral Cavity			1.72	(0.63-3.75)			1.00	(0.48-1.84)	3.01	(0.36-10.89)	1.63	(0.04-9.10)	1.32	(0.53-2.72)	0.86	(0.02-4.79)	1.28	(0.15-4.62)		
Salivary gland	5.06	(0.13-28.21)					1.39	(0.38-3.57)					1.77	(0.21-6.40)			<b>7.58</b>	<b>(1.56-22.14)</b>		
Pharynx			0.74	(0.09-2.68)	1.68	(0.04-9.36)	1.04	(0.45-2.05)	0.00	(0.00-6.78)	1.91	(0.05-10.66)	0.72	(0.15-2.11)	1.11	(0.03-6.20)	1.64	(0.20-5.94)		
Oesophagus			0.86	(0.28-2.00)	0.00	(0.00-2.60)	0.80	(0.46-1.30)	0.00	(0.00-4.04)	1.36	(0.03-7.58)	1.39	(0.72-2.42)	0.48	(0.01-2.69)	0.35	(0.01-1.93)		
Stomach	0.91	(0.11-3.28)	0.93	(0.46-1.66)	0.00	(0.00-1.22)	0.87	(0.62-1.20)	1.61	(0.33-4.72)	0.67	(0.02-3.72)	1.18	(0.73-1.81)	1.39	(0.51-3.02)	0.65	(0.18-1.66)		
Colon	0.97	(0.36-2.12)	1.28	(0.94-1.71)	1.49	(0.79-2.54)	1.05	(0.88-1.25)	<b>2.18</b>	<b>(1.13-3.81)</b>	1.88	(0.81-3.70)	1.00	(0.75-1.31)	1.10	(0.60-1.85)	1.12	(0.68-1.73)		
Rectum	1.31	(0.48-2.85)	0.93	(0.57-1.43)	0.79	(0.21-2.02)	1.03	(0.80-1.30)	0.85	(0.18-2.48)	0.70	(0.09-2.54)	0.93	(0.63-1.33)	0.93	(0.38-1.93)	1.16	(0.60-2.02)		
Colorectal	1.12	(0.58-1.95)	1.15	(0.89-1.46)	1.23	(0.72-1.97)	1.03	(0.89-1.19)	1.66	(0.93-2.74)	1.41	(0.67-2.59)	0.98	(0.78-1.21)	1.04	(0.64-1.59)	1.13	(0.78-1.60)		
Liver			0.68	(0.14-1.98)			0.77	(0.37-1.42)	0.00	(0.00-5.12)			1.24	(0.54-2.44)	0.67	(0.02-3.76)	0.99	(0.12-3.58)		
Gallbladder			0.88	(0.11-3.17)	3.41	(0.41-12.34)	0.94	(0.40-1.85)	2.83	(0.07-15.75)	0.00	(0.00-12.98)	0.88	(0.18-2.57)	1.20	(0.03-6.67)	2.51	(0.52-7.34)		
Pancreas	1.38	(0.17-5.00)	1.60	(0.85-2.73)	<b>2.95</b>	<b>(1.08-6.42)</b>	<b>1.42</b>	<b>(1.02-1.93)</b>	1.59	(0.19-5.73)	0.00	(0.00-3.71)	0.83	(0.40-1.52)	0.34	(0.01-1.90)	1.46	(0.54-3.17)		
Larynx			1.48	(0.54-3.21)	3.16	(0.65-9.25)	1.18	(0.66-1.95)	1.45	(0.04-8.10)	1.74	(0.04-9.71)	0.66	(0.18-1.69)			1.55	(0.32-4.53)		
Lung	1.59	(0.82-2.77)	0.97	(0.71-1.28)	<b>2.18</b>	<b>(1.44-3.18)</b>	<b>1.59</b>	<b>(1.41-1.79)</b>	0.40	(0.08-1.17)	1.72	(0.83-3.17)	1.07	(0.84-1.33)	0.95	(0.56-1.53)	<b>2.06</b>	<b>(1.54-2.70)</b>	<b>2.72</b>	<b>(1.36-4.87)</b>
Melanoma	1.26	(0.65-2.21)	1.12	(0.72-1.65)	1.22	(0.45-2.65)	0.77	(0.57-1.02)	1.65	(0.66-3.40)	1.18	(0.38-2.76)	1.33	(0.97-1.78)	1.34	(0.64-2.46)	<b>3.13</b>	<b>(2.13-4.44)</b>	0.55	(0.01-3.07)
Mesothelioma	2.00	(0.05-11.16)	0.67	(0.08-2.43)	1.48	(0.04-8.25)	0.98	(0.39-1.77)	2.22	(0.06-12.37)	2.93	(0.07-16.32)	0.23	(0.01-1.30)			2.17	(0.45-6.35)		
Soft tissue	1.37	(0.03-7.62)	1.06	(0.13-3.84)	2.18	(0.06-12.17)	0.70	(0.25-1.82)	2.93	(0.07-16.33)	0.00	(0.00-10.59)	1.05	(0.22-3.06)	3.05	(0.37-11.01)	2.20	(0.27-7.94)		
Prostate	1.23	(0.72-1.97)	1.13	(0.93-1.36)	<b>1.72</b>	<b>(1.23-2.33)</b>	<b>1.16</b>	<b>(1.05-1.28)</b>	1.01	(0.57-1.67)	0.83	(0.38-1.58)	0.89	(0.75-1.06)	0.69	(0.44-1.02)	1.21	(0.92-1.56)		
Testis	<b>12.15</b>	<b>(8.20-17.34)</b>	1.84	(0.05-10.23)			1.75	(0.21-6.33)	<b>3.46</b>	<b>(1.12-8.08)</b>	2.28	(0.28-8.24)	1.56	(0.19-5.62)			2.08	(0.90-4.11)		
Kidney	0.84	(0.10-3.02)	1.32	(0.66-2.36)	0.52	(0.01-2.92)	1.07	(0.70-1.55)			0.80	(0.02-4.47)	<b>1.85</b>	<b>(1.17-2.77)</b>	0.71	(0.09-2.57)				
Renal pelvis	3.75	(0.09-20.89)	<b>7.71</b>	<b>(3.98-13.46)</b>	2.60	(0.07-14.51)	<b>2.81</b>	<b>(1.58-4.64)</b>	1.31	(0.27-3.83)			1.31	(0.27-3.83)						
Bladder	2.26	(0.62-5.79)	0.82	(0.39-1.51)	<b>4.69</b>	<b>(2.68-7.61)</b>	<b>0.06</b>	<b>(0.01-0.17)</b>	1.11	(0.13-3.99)	1.38	(0.17-4.99)	0.98	(0.58-1.54)	1.06	(0.35-2.49)	1.01	(0.41-2.09)		
CNS	1.50	(0.31-4.40)	1.37	(0.50-2.97)	1.00	(0.03-5.59)	1.58	(0.98-2.41)	1.18	(0.03-6.55)	0.00	(0.00-4.03)	0.89	(0.33-1.94)	2.01	(0.41-5.86)	1.48	(0.31-4.33)		
Thyroid			<b>4.52</b>	<b>(1.23-11.58)</b>			0.84	(0.10-3.03)	0.00	(0.00-17.44)	7.55	(0.91-27.27)	<b>3.54</b>	<b>(1.15-8.25)</b>	3.48	(0.09-19.39)	0.00	(0.00-9.93)		
Ill defined	0.49	(0.01-2.74)	<b>0.40</b>	<b>(0.13-0.93)</b>	1.21	(0.33-3.11)	0.99	(0.73-1.31)	0.00	(0.00-1.96)	<b>4.69</b>	<b>(1.88-9.66)</b>	<b>1.55</b>	<b>(1.04-2.22)</b>	0.86	(0.23-2.19)	<b>2.55</b>	<b>(1.49-4.09)</b>	2.75	(0.57-8.04)
Hodgkin	2.55	(0.31-9.23)	2.94	(0.36-10.63)					5.47	(0.14-30.49)	0.00	(0.00-10.96)	<b>7.89</b>	<b>(3.61-14.97)</b>			<b>17.43</b>	<b>(5.66-40.68)</b>		
NHL	1.69	(0.68-3.49)	0.79	(0.38-1.46)	1.03	(0.21-3.01)	0.94	(0.66-1.30)	2.71	(0.99-5.89)	<b>10.29</b>	<b>(6.37-15.73)</b>	<b>2.79</b>	<b>(2.09-3.65)</b>	1.16	(0.38-2.70)	<b>4.08</b>	<b>(2.62-6.08)</b>	<b>3.89</b>	<b>(1.06-9.97)</b>
Myeloma	1.09	(0.03-6.06)	0.62	(0.13-1.83)	2.59	(0.53-7.57)	<b>1.67</b>	<b>(1.10-2.43)</b>	0.00	(0.00-4.93)			1.13	(0.49-2.22)	1.17	(0.14-4.23)	0.85	(0.10-3.08)	2.65	(0.07-14.75)
ALL	4.78	(0.12-26.65)	3.28	(0.08-18.26)			3.24	(0.67-9.47)					<b>6.24</b>	<b>(1.29-18.25)</b>	2.10	(0.25-7.58)	0.00	(0.00-27.69)	<b>200.3</b>	<b>(73.5-436.0)</b>
CLL			1.54	(0.50-3.59)	3.60	(0.74-10.53)	0.75	(0.34-1.42)	2.04	(0.05-11.37)			0.41	(0.05-1.49)			0.00	(0.00-2.18)		
AML	1.74	(0.04-9.70)	0.74	(0.09-2.67)			<b>1.83</b>	<b>(1.04-2.97)</b>	0.00	(0.00-8.82)	<b>20.01</b>	<b>(8.05-41.23)</b>	<b>5.30</b>	<b>(3.28-8.11)</b>			2.31	(0.48-6.75)	<b>111.2</b>	<b>(70.5-166.9)</b>
CML			1.11	(0.03-6.21)	4.26	(0.11-23.76)	1.16	(0.32-2.98)					2.15	(0.44-6.30)					0.00	(0.00-42.06)
Others	1.91	(0.82-3.76)	1.39	(0.82-2.20)	0.62	(0.08-2.25)	1.25	(0.95-1.62)	1.32	(0.27-3.86)	<b>2.79</b>	<b>(1.02-6.07)</b>	<b>2.64</b>	<b>(1.97-3.46)</b>	1.52	(0.61-3.13)	<b>2.94</b>	<b>(1.77-4.60)</b>	<b>5.23</b>	<b>(1.92-11.39)</b>

# Table 1.3: Overall risks of second primary cancers within 23 years by type of first and subsequent cancer - females

	Site of first primary cancer														
	All cancer	Pharynx	Stomach	Colon	Rectum	Colorectum	Larynx	Lung	Melanoma	Breast	Cervix	SIR	95%CI	SIR	95%CI
All cancers	1.26 (1.24-1.28)	2.09 (1.55-2.75)	0.79 (0.64-0.97)	1.17 (1.11-1.23)	1.04 (0.95-1.13)	1.13 (1.08-1.18)	1.68 (1.27-2.18)	1.23 (1.08-1.40)	1.49 (1.42-1.57)	1.33 (1.29-1.37)	1.24 (1.11-1.37)				
Oral cavity	1.69 (1.43-1.99)	9.42 (1.14-34.02)	0.96 (0.02-5.33)	0.87 (0.40-1.65)	0.82 (0.22-2.10)	0.86 (0.46-1.47)	9.92 (2.05-29.00)	4.46 (1.93-8.79)	1.18 (0.56-2.17)	1.09 (0.76-1.53)	1.20 (0.25-3.50)				
Salivary gland	1.08 (0.63-1.74)	0.00 (0.00-92.39)	5.25 (0.13-29.23)	1.63 (0.34-4.75)	0.00 (0.00-4.26)	1.11 (0.23-3.24)	19.20 (0.49-107.0)	0.00 (0.00-11.67)	0.00 (0.00-2.21)	0.70 (0.19-1.78)	5.70 (1.17-16.65)				
Pharynx	1.59 (1.15-2.13)	25.65 (3.11-92.7)	0.00 (0.00-11.92)	0.67 (0.08-2.43)	0.00 (0.00-2.51)	0.45 (0.05-1.63)	20.27 (2.45-73.22)	5.00 (1.03-14.62)	0.34 (0.01-1.89)	1.04 (0.52-1.86)	3.11 (0.64-9.08)				
Oesophagus	1.17 (1.00-1.38)	14.19 (3.87-36.34)	0.54 (0.01-3.00)	1.43 (0.94-2.08)	0.71 (0.26-1.54)	1.21 (0.83-1.70)	2.08 (0.05-11.61)	2.93 (1.26-5.76)	0.74 (0.34-1.40)	0.76 (0.53-1.06)	2.91 (1.33-5.52)				
Stomach	1.15 (1.02-1.29)	0.00 (0.00-6.88)	0.89 (0.18-2.61)	1.00 (0.69-1.40)	0.80 (0.41-1.40)	0.94 (0.68-1.25)	1.16 (0.03-6.45)	1.00 (0.32-2.33)	1.20 (0.79-1.74)	1.30 (1.07-1.56)	2.14 (1.14-3.65)				
Colon	1.22 (1.16-1.28)	1.44 (0.39-3.68)	0.69 (0.34-1.23)	1.63 (1.44-1.84)	1.77 (1.48-2.10)	1.66 (1.50-1.83)	1.12 (0.36-2.62)	1.39 (0.97-1.92)	1.15 (0.96-1.36)	1.06 (0.97-1.16)	0.94 (0.63-1.34)				
Rectum	1.07 (0.98-1.16)	0.82 (0.02-4.58)	0.78 (0.25-1.81)	1.36 (1.09-1.67)	1.04 (0.85-1.27)	1.04 (0.85-1.27)	0.00 (0.00-2.01)	1.58 (0.92-2.52)	1.08 (0.81-1.41)	1.11 (0.97-1.28)	0.79 (0.39-1.41)				
Colorectal	1.17 (1.12-1.22)	1.25 (0.41-2.92)	0.71 (0.41-1.16)	1.55 (1.39-1.72)	1.37 (1.15-1.61)	1.48 (1.35-1.62)	0.80 (0.26-1.86)	1.45 (1.08-1.89)	1.12 (0.97-1.30)	1.07 (0.99-1.16)	0.89 (0.64-1.21)				
Liver	0.85 (0.63-1.12)	7.49 (0.19-41.74)	0.00 (0.00-5.13)	1.20 (0.55-2.27)	0.00 (0.00-1.06)	0.64 (0.26-1.31)	4.76 (0.12-26.53)	0.80 (0.02-4.47)	0.70 (0.19-1.78)	0.81 (0.47-1.30)	0.68 (0.02-3.79)				
Gallbladder	0.94 (0.77-1.14)	0.00 (0.00-14.61)	0.00 (0.00-2.46)	0.74 (0.37-1.32)	0.44 (0.09-1.28)	0.64 (0.35-1.08)	2.45 (0.06-13.67)	0.42 (0.01-2.37)	1.16 (0.60-2.02)	0.89 (0.62-1.24)	1.43 (0.39-3.66)				
Pancreas	1.07 (0.96-1.20)	1.55 (0.04-8.66)	0.49 (0.06-1.76)	1.03 (0.74-1.38)	0.95 (0.57-1.51)	0.92 (0.70-1.20)	0.93 (0.02-5.18)	1.13 (0.45-2.32)	1.01 (0.67-1.46)	1.05 (0.86-1.26)	2.56 (1.52-4.04)				
Larynx	1.20 (0.77-1.79)	18.30 (0.46-101.94)	0.00 (0.00-15.57)	0.00 (0.00-1.59)	0.89 (0.02-4.95)	0.29 (0.01-1.62)	0.00 (0.00-46.44)	15.05 (6.05-31.00)	0.51 (0.01-2.84)	0.40 (0.08-1.18)	3.36 (0.41-12.15)				
Lung	1.25 (1.18-1.33)	8.61 (5.02-13.79)	0.61 (0.23-1.34)	1.12 (0.92-1.35)	1.30 (0.99-1.66)	1.15 (0.98-1.34)	6.27 (3.77-9.79)	2.41 (1.74-3.24)	0.89 (0.69-1.12)	0.84 (0.74-0.96)	3.51 (2.77-4.40)				
Melanoma	1.84 (1.73-1.95)	0.62 (0.02-3.47)	1.47 (0.70-2.70)	1.11 (0.87-1.39)	0.93 (0.63-1.33)	1.03 (0.84-1.25)	1.00 (0.12-3.60)	0.33 (0.09-0.86)	7.24 (6.62-7.90)	1.14 (1.01-1.29)	0.80 (0.48-1.27)				
Mesothelioma	1.05 (0.64-1.62)			0.86 (0.10-3.10)	1.82 (0.22-6.56)	1.17 (0.33-2.99)	0.00 (0.00-53.14)	0.00 (0.00-8.86)	2.03 (0.55-5.21)	0.56 (0.15-1.44)	1.88 (0.05-10.49)				
Soft tissue	1.43 (1.11-1.81)	17.21 (2.08-62.17)	1.73 (0.04-9.66)	0.70 (0.19-1.78)	1.11 (0.23-3.24)	0.83 (0.33-1.71)	0.00 (0.00-22.57)	0.00 (0.00-3.78)	1.20 (0.44-2.61)	1.66 (1.11-2.39)	2.03 (0.42-5.93)				
Breast	1.37 (1.32-1.41)	0.74 (0.24-1.74)	0.67 (0.39-1.05)	1.11 (0.98-1.24)	1.01 (0.84-1.20)	1.04 (0.94-1.15)	0.85 (0.34-1.76)	0.73 (0.52-1.01)	1.05 (0.93-1.18)	1.97 (1.89-2.07)	0.87 (0.69-1.08)				
Cervix	0.82 (0.67-0.98)		1.25 (0.15-4.53)	0.89 (0.47-1.52)	0.56 (0.15-1.43)	0.78 (0.45-1.25)	4.19 (0.51-15.15)	0.35 (0.01-1.94)	0.72 (0.37-1.26)	1.20 (0.92-1.54)	0.00 (0.00-0.59)				
Uterus	1.45 (1.33-1.57)		0.86 (0.23-2.20)	1.59 (1.24-2.00)	1.17 (0.77-1.72)	1.44 (1.17-1.76)	1.37 (0.17-4.96)	0.34 (0.07-0.99)	1.25 (0.94-1.63)	2.24 (2.01-2.49)	0.30 (0.08-0.78)				
Ovary	1.29 (1.16-1.42)	1.29 (0.03-7.16)	1.12 (0.31-2.87)	1.84 (1.42-2.34)	0.95 (0.54-1.54)	1.52 (1.20-1.89)	0.92 (0.02-5.12)	1.55 (0.74-2.84)	1.10 (0.76-1.54)	1.59 (1.36-1.84)	0.84 (0.36-1.66)				
Kidney	1.23 (1.07-1.40)	2.31 (0.06-12.85)	0.99 (0.12-3.56)	1.23 (0.79-1.81)	0.93 (0.42-1.76)	1.13 (0.79-1.58)	0.00 (0.00-6.04)	1.36 (0.44-3.17)	0.91 (0.52-1.47)	1.08 (0.84-1.37)	1.93 (0.92-3.55)				
Renal pelvis	1.12 (0.80-1.52)			0.82 (0.22-2.10)	0.89 (0.11-3.20)	0.84 (0.31-1.83)	0.00 (0.00-26.40)	1.24 (0.03-6.91)	0.00 (0.00-1.07)	0.69 (0.32-1.32)	4.26 (1.16-10.92)				
Bladder	1.13 (0.97-1.31)	5.76 (0.70-20.80)	0.89 (0.11-3.22)	1.24 (0.82-1.80)	1.32 (0.70-2.25)	1.23 (0.88-1.69)	0.00 (0.00-6.40)	1.21 (0.33-3.09)	0.65 (0.30-1.23)	1.05 (0.79-1.36)	2.64 (1.26-4.85)				
CNS	1.04 (0.87-1.23)	0.00 (0.00-10.80)	0.00 (0.00-2.40)	1.17 (0.70-1.85)	0.82 (0.30-1.78)	1.06 (0.68-1.58)	2.12 (0.05-11.83)	1.41 (0.38-3.61)	1.31 (0.78-2.07)	0.91 (0.66-1.22)	0.72 (0.15-2.10)				
Thyroid	1.39 (1.14-1.69)	0.00 (0.00-17.29)	1.39 (0.04-7.76)	1.21 (0.52-2.39)	1.51 (0.49-3.52)	1.31 (0.70-2.25)	0.00 (0.00-17.85)	2.22 (0.46-6.48)	2.24 (1.40-3.39)	1.14 (0.78-1.61)	1.73 (0.63-3.76)				
Ill defined	0.58 (0.51-0.66)	3.20 (0.66-9.36)	0.32 (0.04-1.16)	0.32 (0.19-0.49)	0.28 (0.12-0.56)	0.31 (0.20-0.44)	1.91 (0.39-5.59)	0.33 (0.07-0.98)	0.83 (0.57-1.16)	0.38 (0.29-0.49)	1.04 (0.52-1.86)				
Hodgkin	1.35 (0.90-1.96)		4.46 (0.11-24.85)	0.48 (0.01-2.65)	0.98 (0.02-5.47)	0.64 (0.08-2.32)	0.00 (0.00-57.34)	0.00 (0.00-9.18)	2.70 (1.09-5.56)	0.68 (0.22-1.59)	2.35 (0.28-8.49)				
NHL	1.19 (1.08-1.30)	0.00 (0.00-3.85)	0.83 (0.23-2.12)	0.94 (0.69-1.26)	1.22 (0.81-1.76)	1.02 (0.80-1.28)	0.71 (0.02-3.97)	1.92 (1.10-3.11)	1.03 (0.74-1.39)	0.92 (0.77-1.09)	0.53 (0.19-1.14)				
Myeloma	1.02 (0.85-1.20)	0.00 (0.00-11.91)	0.57 (0.01-3.18)	1.27 (0.81-1.91)	0.72 (0.26-1.57)	0.99 (0.65-1.45)	0.00 (0.00-7.46)	0.69 (0.08-2.49)	1.21 (0.69-1.97)	0.76 (0.53-1.04)	2.00 (0.80-4.12)				
ALL	1.75 (1.02-2.80)		0.00 (0.00-33.37)	2.77 (0.57-8.09)	0.00 (0.00-7.22)	1.89 (0.39-5.51)	0.00 (0.00-123.1)	0.00 (0.00-19.91)	0.00 (0.00-3.44)	0.57 (0.07-2.07)	3.06 (0.08-17.07)				
CLL	0.91 (0.72-1.14)	0.00 (0.00-20.86)	0.00 (0.00-3.25)	0.94 (0.47-1.68)	0.19 (0.00-1.06)	0.65 (0.32-1.16)	3.41 (0.09-18.99)	2.96 (0.96-6.90)	1.81 (0.99-3.04)	0.80 (0.51-1.20)	0.00 (0.00-1.86)				
AML	2.00 (1.69-2.35)	6.03 (0.15-33.57)	3.21 (0.66-9.37)	1.16 (0.58-2.07)	0.69 (0.14-2.00)	1.01 (0.55-1.70)	0.00 (0.00-14.28)	1.32 (0.16-4.78)	0.83 (0.31-1.81)	1.69 (1.23-2.27)	0.51 (0.01-2.83)				
CMIL	0.95 (0.61-1.42)	0.00 (0.00-63.91)	0.00 (0.00-11.04)	0.30 (0.01-1.69)	1.32 (0.16-4.78)	0.63 (0.13-1.83)	0.00 (0.00-43.51)	6.05 (1.25-17.67)	1.58 (0.43-4.04)	0.67 (0.25-1.45)	1.94 (1.18-3.00)				
Others	1.39 (1.28-1.52)	1.16 (0.03-6.46)	1.57 (0.68-3.09)	1.10 (0.83-1.43)	1.30 (0.87-1.85)	1.11 (0.88-1.38)	1.50 (0.18-5.43)	1.29 (0.62-2.37)	1.07 (0.77-1.46)	1.20 (1.03-1.40)					

# Table 1.3: Overall risks of second primaries within 23 years by type of first and subsequent cancer - females (continued)

Site of second primary cancer	Site of first primary cancer													
	Uterus	Ovary	Kidney	Renal pelvis	Bladder	Thyroid	Hodgkin	NHL	Myeloma	CLL	SIR	95%CI	SIR	95%CI
All cancers	1.01 (0.93-1.09)	<b>1.19 (1.05-1.35)</b>	1.11 (0.94-1.29)	<b>1.39 (1.03-1.83)</b>	1.06 (0.93-1.19)	<b>1.28 (1.08-1.52)</b>	<b>2.18 (1.69-2.76)</b>	<b>1.22 (1.11-1.35)</b>	1.21 (0.97-1.49)	<b>1.67 (1.41-1.97)</b>	<b>2.62 (1.91-3.50)</b>	0.00 (0.00-24.34)	0.00 (0.00-26.26)	0.00 (0.00-17.06)
Oral Cavity	0.35 (0.04-1.26)	1.60 (0.33-4.68)	0.76 (0.02-4.22)		1.35 (0.28-3.95)	0.00 (0.00-4.14)	3.90 (0.10-21.70)	1.73 (0.56-4.04)	0.00 (0.00-5.78)	<b>5.20 (1.42-13.32)</b>	0.00 (0.00-24.34)	0.00 (0.00-26.26)	0.00 (0.00-17.06)	0.00 (0.00-17.06)
Salivary gland	1.06 (0.13-3.81)	2.83 (0.07-15.75)	0.00 (0.00-8.60)	10.62 (0.27-59.17)	0.00 (0.00-8.94)	0.00 (0.00-10.46)	0.00 (0.00-36.66)	1.91 (0.05-10.65)	0.00 (0.00-18.70)	0.00 (0.00-18.70)	0.00 (0.00-18.70)	0.00 (0.00-17.06)	0.00 (0.00-17.06)	0.00 (0.00-17.06)
Pharynx	1.49 (0.79-2.54)	1.16 (0.24-3.40)	0.49 (0.01-2.73)	1.77 (0.04-9.84)	1.23 (0.40-2.87)	3.03 (0.62-8.84)	0.00 (0.00-12.38)	1.11 (0.36-2.59)	1.86 (0.22-6.70)	1.42 (0.17-5.12)	1.42 (0.17-5.12)	1.42 (0.17-5.12)	1.42 (0.17-5.12)	1.42 (0.17-5.12)
Oesophagus	1.07 (0.62-1.72)	1.03 (0.33-2.40)	1.09 (0.30-2.78)	2.96 (0.61-8.64)	0.96 (0.39-1.98)	2.00 (0.54-5.11)	1.67 (0.04-9.28)	1.35 (0.67-2.41)	1.03 (0.12-3.71)	1.19 (0.25-3.49)	2.21 (0.06-12.32)	2.21 (0.06-12.32)	2.21 (0.06-12.32)	2.21 (0.06-12.32)
Stomach	<b>1.30 (1.06-1.57)</b>	<b>1.75 (1.27-2.35)</b>	0.94 (0.56-1.49)	<b>2.84 (1.55-4.76)</b>	0.99 (0.69-1.38)	1.25 (0.67-2.14)	1.66 (0.54-3.87)	1.20 (0.89-1.58)	1.14 (0.57-2.04)	1.25 (0.70-2.07)	1.91 (0.52-4.90)	1.91 (0.52-4.90)	1.91 (0.52-4.90)	1.91 (0.52-4.90)
Colon	<b>1.51 (1.13-1.99)</b>	1.20 (0.64-2.05)	0.38 (0.08-1.10)	0.51 (0.01-2.82)	<b>0.29 (0.08-0.75)</b>	1.45 (0.58-2.99)	2.96 (0.81-7.59)	0.87 (0.49-1.43)	0.51 (0.06-1.84)	<b>2.32 (1.16-4.14)</b>	3.42 (0.70-9.99)	3.42 (0.70-9.99)	3.42 (0.70-9.99)	3.42 (0.70-9.99)
Rectum	<b>1.35 (1.15-1.58)</b>	<b>1.59 (1.20-2.05)</b>	0.78 (0.48-1.18)	<b>2.17 (1.21-3.58)</b>	0.79 (0.56-1.09)	1.32 (0.80-2.03)	2.06 (0.94-3.91)	1.10 (0.85-1.40)	0.96 (0.51-1.64)	<b>1.55 (1.02-2.28)</b>	2.36 (0.95-4.86)	2.36 (0.95-4.86)	2.36 (0.95-4.86)	2.36 (0.95-4.86)
Colorectal	1.50 (0.55-3.26)	2.53 (0.52-7.39)	0.00 (0.00-3.82)	0.00 (0.00-8.03)	0.69 (0.02-3.85)	1.89 (0.05-10.55)	7.61 (0.92-27.48)	0.98 (0.12-3.54)	0.00 (0.00-8.29)	0.00 (0.00-7.02)	0.00 (0.00-42.50)	0.00 (0.00-42.50)	0.00 (0.00-42.50)	0.00 (0.00-42.50)
Liver	1.07 (0.46-2.11)	2.19 (0.71-5.12)	1.74 (0.36-5.08)	3.17 (0.86-8.11)	0.31 (0.01-1.72)	0.00 (0.00-4.02)	7.61 (0.92-27.48)	0.26 (0.01-1.47)	1.12 (0.03-6.26)	1.77 (0.21-6.39)	1.96 (0.05-10.90)	1.96 (0.05-10.90)	1.96 (0.05-10.90)	1.96 (0.05-10.90)
Gallbladder	1.21 (0.77-1.80)	1.03 (0.38-2.24)	1.07 (0.35-2.50)	3.17 (0.86-8.11)	1.36 (0.70-2.37)	<b>3.04 (1.22-6.25)</b>	1.47 (0.04-8.17)	0.88 (0.40-1.67)	0.83 (0.10-3.00)	1.92 (0.70-4.18)	1.96 (0.05-10.90)	1.96 (0.05-10.90)	1.96 (0.05-10.90)	1.96 (0.05-10.90)
Pancreas	0.69 (0.02-3.84)	2.10 (0.05-11.73)	3.14 (0.08-17.49)	0.00 (0.00-48.63)	0.00 (0.00-7.32)	5.12 (0.13-28.53)	0.00 (0.00-67.39)	0.00 (0.00-5.31)	1.44 (0.66-2.73)	0.00 (0.00-21.85)	0.00 (0.00-21.85)	0.00 (0.00-21.85)	0.00 (0.00-21.85)	0.00 (0.00-21.85)
Larynx	1.12 (0.86-1.43)	0.92 (0.52-1.49)	1.46 (0.88-2.27)	<b>2.91 (1.33-5.53)</b>	<b>2.13 (1.55-2.86)</b>	1.49 (0.74-2.66)	2.47 (0.80-5.75)	1.25 (0.87-1.74)	2.14 (0.98-4.07)	1.66 (0.86-2.90)	3.14 (0.85-8.03)	3.14 (0.85-8.03)	3.14 (0.85-8.03)	3.14 (0.85-8.03)
Lung	1.22 (0.90-1.61)	1.20 (0.70-1.91)	0.84 (0.36-1.65)	0.98 (0.12-3.53)	0.95 (0.50-1.62)	1.36 (0.70-2.38)	2.01 (0.74-4.37)	1.44 (0.97-2.06)	2.14 (0.98-4.07)	<b>3.35 (1.92-5.45)</b>	0.00 (0.00-3.23)	0.00 (0.00-3.23)	0.00 (0.00-3.23)	0.00 (0.00-3.23)
Melanoma	0.75 (0.02-4.17)		3.11 (0.08-17.33)	0.00 (0.00-53.69)	0.00 (0.00-8.18)	0.00 (0.00-19.07)	0.00 (0.00-71.44)	1.47 (0.04-8.21)	2.86 (0.07-15.93)	6.22 (0.16-34.64)	0.00 (0.00-3.23)	0.00 (0.00-3.23)	0.00 (0.00-3.23)	0.00 (0.00-3.23)
Mesothelioma	0.64 (0.08-2.30)	0.96 (0.02-5.36)	1.33 (0.03-7.40)	5.66 (0.14-31.56)	0.83 (0.02-4.63)	1.79 (0.05-9.98)	5.36 (0.14-29.85)	1.23 (0.15-4.44)	2.86 (0.07-15.93)	0.00 (0.00-8.83)	0.00 (0.00-8.83)	0.00 (0.00-8.83)	0.00 (0.00-8.83)	0.00 (0.00-8.83)
Soft tissue	0.94 (0.79-1.10)	1.24 (0.97-1.56)	0.81 (0.55-1.15)	0.61 (0.20-1.43)	0.07 (0.82-1.39)	1.23 (0.88-1.66)	1.49 (0.81-2.50)	<b>0.76 (0.58-0.97)</b>	0.65 (0.32-1.16)	0.64 (0.33-1.11)	1.09 (0.35-2.55)	1.09 (0.35-2.55)	1.09 (0.35-2.55)	1.09 (0.35-2.55)
Breast	<b>0.11 (0.00-0.63)</b>	0.57 (0.07-2.04)	0.97 (0.12-3.50)	0.00 (0.00-7.81)	0.30 (0.01-1.65)	0.44 (0.01-2.43)	1.17 (0.03-6.50)	0.64 (0.13-1.86)	1.01 (0.21-2.94)	<b>2.73 (1.25-5.18)</b>	1.38 (0.03-7.69)	1.38 (0.03-7.69)	1.38 (0.03-7.69)	1.38 (0.03-7.69)
Cervix	<b>0.11 (0.02-0.31)</b>	0.93 (0.42-1.76)	1.08 (0.44-2.23)	0.70 (0.02-3.90)	0.52 (0.17-1.21)	1.24 (0.46-2.70)	1.17 (0.03-6.50)	1.00 (0.55-1.68)	1.01 (0.21-2.94)	<b>2.73 (1.25-5.18)</b>	1.38 (0.03-7.69)	1.38 (0.03-7.69)	1.38 (0.03-7.69)	1.38 (0.03-7.69)
Uterus	<b>0.34 (0.14-0.70)</b>	0.58 (0.16-1.48)	0.63 (0.13-1.85)	0.70 (0.02-3.90)	0.52 (0.17-1.21)	1.24 (0.46-2.70)	1.17 (0.03-6.50)	1.00 (0.55-1.68)	1.01 (0.21-2.94)	<b>2.73 (1.25-5.18)</b>	1.38 (0.03-7.69)	1.38 (0.03-7.69)	1.38 (0.03-7.69)	1.38 (0.03-7.69)
Ovary	<b>0.34 (0.14-0.70)</b>	0.58 (0.16-1.48)	0.63 (0.13-1.85)	0.70 (0.02-3.90)	0.52 (0.17-1.21)	1.24 (0.46-2.70)	1.17 (0.03-6.50)	1.00 (0.55-1.68)	1.01 (0.21-2.94)	<b>2.73 (1.25-5.18)</b>	1.38 (0.03-7.69)	1.38 (0.03-7.69)	1.38 (0.03-7.69)	1.38 (0.03-7.69)
Kidney	1.28 (0.72-2.11)	1.05 (0.29-2.68)	2.17 (0.80-4.72)	0.00 (0.00-5.85)	1.42 (0.52-3.09)	2.11 (0.58-5.41)	0.00 (0.00-6.90)	1.52 (0.69-2.88)	3.11 (0.95-7.97)	1.35 (0.16-4.86)	0.00 (0.00-12.31)	0.00 (0.00-12.31)	0.00 (0.00-12.31)	0.00 (0.00-12.31)
Renal pelvis	0.79 (0.10-2.85)	3.87 (0.80-11.30)	<b>8.57 (2.78-20.00)</b>	6.57 (0.17-36.62)	1.89 (0.23-6.84)	0.00 (0.00-3.20)	5.59 (0.68-20.19)	0.79 (0.02-4.39)	0.00 (0.00-2.83)	1.20 (0.14-4.32)	0.00 (0.00-12.31)	0.00 (0.00-12.31)	0.00 (0.00-12.31)	0.00 (0.00-12.31)
Bladder	1.55 (0.89-2.53)	1.59 (0.52-3.71)	0.43 (0.01-2.40)	1.48 (0.04-8.22)	0.20 (0.01-1.12)	0.00 (0.00-3.20)	5.59 (0.68-20.19)	1.72 (0.79-3.27)	0.00 (0.00-2.83)	1.20 (0.14-4.32)	0.00 (0.00-12.31)	0.00 (0.00-12.31)	0.00 (0.00-12.31)	0.00 (0.00-12.31)
CNS	1.01 (0.46-1.91)	1.00 (0.21-2.92)	1.42 (0.29-4.14)	0.00 (0.00-7.67)	1.24 (0.34-3.17)	1.30 (0.16-4.68)	3.97 (0.48-14.34)	1.10 (0.36-2.56)	3.09 (0.64-9.02)	0.00 (0.00-3.30)	0.00 (0.00-3.30)	0.00 (0.00-3.30)	0.00 (0.00-3.30)	0.00 (0.00-3.30)
Thyroid	0.23 (0.01-1.30)	1.09 (0.13-3.93)	<b>6.25 (2.51-12.88)</b>	1.05 (0.13-3.79)	1.48 (0.18-5.36)	0.63 (0.02-3.49)	0.00 (0.00-5.79)	0.81 (0.10-2.93)	4.56 (0.55-16.47)	0.00 (0.00-8.04)	1.25 (0.03-6.96)	1.25 (0.03-6.96)	1.25 (0.03-6.96)	1.25 (0.03-6.96)
Ill defined	0.66 (0.40-1.03)	0.70 (0.26-1.52)	1.19 (0.51-2.34)	1.05 (0.13-3.79)	0.66 (0.30-1.24)	0.89 (0.18-2.59)	2.90 (0.60-8.47)	0.74 (0.37-1.32)	0.56 (0.07-2.01)	<b>2.72 (1.45-4.66)</b>	1.25 (0.03-6.96)	1.25 (0.03-6.96)	1.25 (0.03-6.96)	1.25 (0.03-6.96)
Hodgkin	3.21 (0.88-8.23)		3.15 (0.08-17.53)	0.67 (0.02-3.75)	0.70 (0.28-1.43)	5.10 (0.62-18.43)	0.00 (0.00-16.41)	4.22 (0.87-12.34)	2.01 (0.74-4.37)	<b>4.50 (2.57-7.31)</b>	1.50 (0.04-8.38)	1.50 (0.04-8.38)	1.50 (0.04-8.38)	1.50 (0.04-8.38)
NHL	0.94 (0.61-1.38)	0.94 (0.41-1.85)	1.42 (0.65-2.70)	0.67 (0.02-3.75)	0.70 (0.28-1.43)	5.10 (0.62-18.43)	0.00 (0.00-16.41)	4.22 (0.87-12.34)	2.01 (0.74-4.37)	<b>4.50 (2.57-7.31)</b>	1.50 (0.04-8.38)	1.50 (0.04-8.38)	1.50 (0.04-8.38)	1.50 (0.04-8.38)
Myeloma	1.18 (0.59-2.12)	1.78 (0.58-4.15)	1.37 (0.28-4.01)	0.00 (0.00-6.76)	0.80 (0.17-2.34)	0.84 (0.02-4.69)	11.58 (6.33-19.44)	<b>4.03 (3.04-5.25)</b>	1.85 (0.22-6.68)	2.27 (0.47-6.62)	0.00 (0.00-16.56)	0.00 (0.00-16.56)	0.00 (0.00-16.56)	0.00 (0.00-16.56)
ALL	1.68 (0.04-9.33)		0.00 (0.00-21.29)	0.00 (0.00-10.43)	4.35 (0.11-24.21)	6.03 (0.73-21.80)		6.03 (0.73-21.80)	12.90 (0.33-71.86)	<b>160.8 (63.17-470.1)</b>	0.00 (0.00-16.56)	0.00 (0.00-16.56)	0.00 (0.00-16.56)	0.00 (0.00-16.56)
CLL	0.37 (0.04-1.33)	0.62 (0.02-3.47)	2.36 (0.49-6.88)	0.00 (0.00-10.43)	1.19 (0.25-3.48)	1.56 (0.04-8.71)		1.78 (0.58-4.15)	1.85 (0.22-6.68)	2.27 (0.47-6.62)	0.00 (0.00-16.56)	0.00 (0.00-16.56)	0.00 (0.00-16.56)	0.00 (0.00-16.56)
AML	0.41 (0.05-1.49)	<b>3.99 (1.46-8.69)</b>	1.73 (0.21-6.26)	0.00 (0.00-6.89)	1.02 (0.12-3.67)	1.42 (0.04-7.89)	4.39 (0.11-24.47)	<b>5.21 (2.78-8.92)</b>	<b>7.13 (1.94-18.25)</b>	<b>144.8 (85.8-228.9)</b>	0.00 (0.00-5.27)	0.00 (0.00-5.27)	0.00 (0.00-5.27)	0.00 (0.00-5.27)
CML	0.63 (0.02-3.51)		5.29 (0.64-19.10)	0.00 (0.00-36.89)	1.37 (0.03-7.62)	1.67 (0.61-3.64)		1.19 (0.03-6.63)	2.02 (0.74-4.41)	2.10 (0.91-4.14)	4.26 (0.88-12.46)	4.26 (0.88-12.46)	4.26 (0.88-12.46)	4.26 (0.88-12.46)
Others	1.41 (0.98-1.96)	0.51 (0.14-1.31)	1.53 (0.70-2.91)	1.93 (0.40-5.65)	1.64 (0.97-2.59)	1.67 (0.61-3.64)	4.45 (1.44-10.38)	<b>2.18 (1.45-3.15)</b>	2.02 (0.74-4.41)	2.10 (0.91-4.14)	4.26 (0.88-12.46)	4.26 (0.88-12.46)	4.26 (0.88-12.46)	4.26 (0.88-12.46)